

# Kithara RealTime Suite

---

- Concept
- Implementation
- Modules

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions**

# Kithara RealTime Suite

- Real-time extension for Windows
- Comprehensive hardware support
- Beginner-friendly and future-proof
- Modular function library
- Cost-efficient real-time system

› Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Combining Windows and PC hardware: A powerful team.

- Modern and efficient, appealing GUI
- Compatible with excellent driver support
- Widespread, popular with developers and users
- Also widely used in industry

### The problem:

- Windows is not real-time capable
- Real-time extension required

### The solution:

- Windows and real-time system run simultaneously without negatively impacting each other

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****Kithara RealTime Suite – The RTOS for Windows**

- “Hard” real time on PC hardware
- Hardware: dual- and multicore, 32 and 64 bit
- For Windows 10 (x86 and x64), Windows 11 (x64) and Windows Server 2016, 2019, 2022 (x64)
- Supports any programming language and compiler that is able to generate native code such as C/C++, Delphi
  
- 32-bit programs on 32-bit Windows
- 64-bit programs on 64-bit Windows
- 32-bit programs on 64-bit Windows (with KiK64)

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****Comprehensive hardware support**

- Current AMD and Intel processors, min. dual core
- Optional hyper-threading with multicore, currently up to 48 logical CPUs usable, beyond that on request
- ACPI (Advanced Control and Power Interface)
- APIC (Advanced Programmable Interrupt Controller)
- Scalable according to requirements
- Generally platform-neutral and hardware-neutral, such as for Ethernet, EtherCAT, CAN, UART, GigE Vision
- Therefore largely free choice of hardware manufacturer (“second source”)

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****Beginner-friendly and future-proof**

- Designed for easy usability
- Familiar programming language and environment
- No separate real-time system required, Windows is retained as platform
- Development and testing under Windows
- Any GUI and libraries usable
- All modules developed with coherent concept (“from the same mould”)

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****Modular function library**

- Functionality (real time and hardware) in SYS driver
- Accessed from application context (DLL driver)
- Header files and import libraries for various compilers and programming languages are included

Consists of more than 20 modules:

- Compiled modularly
- Streamlined solution, geared towards demand
- Extendable at any time
- Continuous further development

› Benefits

Real-Time System

Communication

Automation

Machine Vision


Automotive

Data Storage

Hardware Access

Base Functions

## Relations between modules





 Benefits

## Real-Time System

## Communication

## Automation

## Machine Vision

## Automotive

## Data Storage

## Hardware Access

## Base Functions

## Cost-efficient real-time system

Familiar programming language and environment:

- Next to no additional training required
- Familiar tools, usage, libraries
- Easy migration (“step-by-step to real time”)


Real time under Windows means:

- Easier implementation of GUI and real time
- Development platform = test platform

Customer-specific application is made of two parts:

- Windows application (EXE)
- RealTime application (DLL)
- Direct communication between the two possible

- › Benefits
- Real-Time System
- Communication
- Automation
- Machine Vision
- Automotive
- Data Storage
- Hardware Access
- Base Functions



› Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage


Hardware Access

Base Functions

## Real-time capabilities, but how?

Real-time is only possible at kernel level. But how can application code get there?

With a clean flexible solution: As a DLL.



A detailed description can be found at:

› **Future-Proof Architecture with Kithara RealTime Suite**

## › Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access


Base Functions

## How can both parts communicate with each other?

- Windows application (EXE) in application context
- Real-time application (DLL) in real-time context

Communication via:

- Events
- Shared memory
- Data and message pipes
- Sockets



 Benefits

## Real-Time System

## Communication

## Automation

## Machine Vision

## Automotive

## Data Storage

## Hardware Access

## Base Functions

## Usable programming languages

- **Windows application** in application context (EXE):  
Any programming language (e. g. C/C++, Delphi, C#, F#, Java, VB.NET and others) as 32-bit or 64-bit application



- **Real-time application** in real-time context (DLL):  
Compiler has to be able to generate native machine code (x86/x64), such as in case of C/C++ and Delphi as well as match the respective Windows OS (32/64 bit)

**› Benefits****Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions**

## Application context vs. real-time context

Most mechanisms are also usable from the Windows context:

- With all programming languages (for example, .NET)
- Easy testing with integrated debugger
- No real time, yet convenient testing capability

Real-time mechanisms from the real-time context:

- Native machine code required (x86 or x64)
- Limited number of programming languages (e. g. C/C++, Delphi)
- “Hard” real time

Distinction is made during function call via flag.

› Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## How does this work?

Ingredients:

- **SYS file** from Kithara RealTime Suite (kernel driver):  
contains essential functionality
- **DLL file** from Kithara RealTime Suite (application driver):  
contains access to kernel driver
- **EXE file** from the user (Windows application):  
GUI, user interaction, communication
- **DLL file** from the user (real-time application):  
real-time processing, hardware access, I/O
- Header files, import libraries, INF files:  
regulate connections among themselves

 Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## How to start?

- Kernel driver from Kithara RealTime Suite is loaded during Windows booting process, while staying completely passive in the background; hardware is only addressed when used
- Opening the driver activates the real-time kernel
- Real-time kernel boots the real-time system on CPU cores, determines PC resources, calibrates timers, afterwards:
- Load real-time application in real-time context
- Generate resources (memory, pipes, events)
- Generate callback functions and real-time tasks
- Activate timers, automation, communication etc.



Requires available dedicated CPU cores



› Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage


Hardware Access

Base Functions

## Dedicated real-time mode

Windows and real time run on separate CPU cores

- No negative impact on each other
- Can be freely allocated
- One-time setup during installation (with msconfig.exe)



 Benefits

## Real-Time System

## Communication

## Automation

## Machine Vision

## Automotive

## Data Storage

## Hardware Access

## Base Functions

**Kithara RealTime Suite – modular system consists of:**

- **Real-time system:**  
Timer, multitasking, dedicated real time
- **Communication:**  
Ethernet, TCP/UDP, UART, USB
- **Automation:**  
EtherCAT, CANopen
- **Machine vision:**  
GigE Vision, USB3 Vision, Halcon, OpenCV
- **Automotive:**  
FlexRay, CAN, CAN FD, LIN, BroadR-Reach
- **Data storage:**  
SSD, RAID, MDF, PCAPng, XML
- **Hardware access:**  
I/O, Memory, Interrupt, Multifunction I/O

**Benefits**› **Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions**

## Real-Time System

- Precise time measurement, short time delay and simple Windows-based timers
  - › **Timer Module**
- High-frequency real-time timer functions and Preemptive real-time multitasking on exclusively-used CPU cores:
  - › **RealTime Tasking Module**
- Synchronization with other computers or GPS:
  - › **PTP Module**

## Benefits

### › Real-Time System

#### Communication

#### Automation

#### Machine Vision

#### Automotive

#### Data Storage

#### Hardware Access

#### Base Functions

## What is real time?

- Immediate **action** to function calls, such as sending of data, setting of I/Os etc. Must not be interrupted by other code (requires high system priority)
- Immediate **reaction** to external events, such as timers, receiving data etc. This needs to immediately interrupt other code (requires high system priority)

Real time under Windows requires the highest system priority before any other Windows activity.



Full control due to dedicated mode.

## Benefits

### › Real-Time System

## Communication

## Automation

## Machine Vision

## Automotive

## Data Storage

## Hardware Access

## Base Functions

## Dedicated mode: Exclusively-used CPU cores

- Nowadays, CPUs with multiple cores are very common
- Windows is able to run on a fewer number of CPU cores
- On the other available CPU cores, a pure Kithara real-time system is booted

### Advantages:

- “Hard” real time due to exclusive CPU allocation (real time is not negatively impacted by Windows or other drivers)
- Hyperthreading usable
- Currently up to 47 logical CPUs usable
- All CPU resources usable (e.g. IO-APIC, PCIe lanes etc.)
- Multi-socket systems: **Kernel NUMA Extension** recommended

Benefits

› Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Staggered real time

Real time with callback functions:

- Multiple callback functions can be announced, without prioritization between them, however. Every callback is completely executed until the end and not interruptible.

Real-time multitasking system (additionally):

- Real-time tasks are prioritized
- Preemptive, with priority adjustment and priority inheritance
- Adjustable load distribution to multiple CPU cores



Recommendation: Real-time tasks

Benefits

› Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## How do external events (timers, data, etc.) trigger a real-time reaction?

- Events are set:  
activation of Windows threads or real-time tasks
- Callbacks are invoked:  
in application context or real-time context
- Real-time tasks are triggered on exclusively-used CPU cores



Recommendation: Real-time tasks

**Benefits**› **Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****Timer Module**

High-precision measurement of system time

- Various formats such as milli-, micro- or nanoseconds
- Bound to system start, absolute, world time (UTC) etc.
- Custom-defined time formats
- Short-time delay in 0.1  $\mu$ s increments
- All internal PC clocks are addressable such as PC timer, PM timer, HPET, TSC
- All clocks are long-term synchronized
- Internal 96-bit conversion: No overflow
- Additionally: simple Windows-based timers (no realtime!)

More information about the › **Timer Module**



**Benefits**› **Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****RealTime Tasking Module**

- High-resolution real-time timers, one-time or cyclical
- Programmable resolution in 0.1  $\mu$ s increments
- Real-time context accuracy in microsecond range
- Timer frequencies up to and above 20 kHz possible
- Preemptive priority-based real-time multitasking
- Tasks with up to 255 priority levels, dynamic
- Priority inheritance for avoiding priority inversion
- Multiple tasks per priority level (round robin)
- Semaphores, mutexes, events, suspend/resume
- Tasks freely allocatable to exclusively used CPU cores

More information about the › **RealTime Tasking Module**

**Benefits**› **Real-Time System****Communication****Automation****Machine Vision****Automotive****Data Storage****Hardware Access****Base Functions****PTP Module**

- Precise PC synchronization according to IEEE 1588v2, based on raw Ethernet/IP/UDP
- Synchronization locally or globally via GPS
- Best master clock algorithm
- Achievable accuracy with hardware timestamping:  $< 1 \mu\text{s}$
  
- **NMEA Extension:** Synchronization with NMEA 0183
- **gPTP Extension:** Synchronization with “generalized Precision Time Protocol” (standardized PTP profile according to IEEE 802.1AS)

More information about the › **PTP Module**

Benefits

Real-Time System

› Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Communication

- Ethernet communication, TCP and UDP sockets:
  - › **Network Module**
- CAN communication:
  - › **CAN Module**
- Serial communication via COM ports:
  - › **Serial/UART Module**
- USB device drivers:
  - › **USB RealTime Module**
  - › **USB Driver Module**

## Benefits

### Real-Time System

#### › Communication

#### Automation

#### Machine Vision

#### Automotive

#### Data Storage

#### Hardware Access

#### Base Functions

### Network Module

- Ethernet communication (currently up to 100 Gigabit/s in real time)
- Any Ethernet protocol usable, including IP
- Connectionless (UDP) or connection-oriented (TCP)
- Query-driven or event-driven communication in real time
- Automatic address inquiry due to ARP support, IP and MAC multicast, broadcast, jumbo frames
- manufacturer-neutral API (e. g. for Intel, RealTek)
  
- **Thunderbolt Extension:** Support for external hardware
- **Network PTM Extension:** Passthrough and mirroring (communication with Windows, data traffic monitoring)

More information about the › **Network Module**

[Benefits](#)[Real-Time System](#)[› Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### Serial/UART Module

Serial communication via UART/COM:

- Either via UART-16550-compatible hardware supported by specialized drivers (UART API = real time)
- Or via any COM ports with installed Windows drivers (COMM API = no real time)

More information about the [› Serial/UART Module](#)

Benefits

Real-Time System

› Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

### USB RealTime Module

- Control USB devices up to USB 3.2 in real time via direct and exclusive access to the XHCI controller
- Low, Full, High and SuperSpeed
- Control, bulk, interrupt and isochronous transfer

More information about the › **USB RealTime Module**

Benefits

Real-Time System

› Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

### USB Driver Module

- Control USB devices up to USB 3.2 via Windows driver stack
- Low, Full, High Speed
- Control, bulk, interrupt and isochronous transfer

More information about the › **USB Driver Module**

Benefits

Real-Time System

Communication

› Automation

Machine Vision

Automotive


Data Storage

Hardware Access

Base Functions

## Automation

- Real-time EtherCAT master
  - › EtherCAT Module
- Real-time CANopen master
  - › CANopen Module





[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### EtherCAT Module

- EtherCAT master in real time, up to 50  $\mu$ s cycle time
- Automatic EtherCAT topology detection
- Process data and service data communication (PDO+SDO, mailbox communication, CoE)

The basic system is extendable with various functions, among them:

- Distributed Clocks (DC), Safety-over-EtherCAT (FSoE), Ethernet-over-EtherCAT (EoE), File-access-over-EtherCAT (FoE), ServoDrive-Profile-over-EtherCAT (SoE)
- Hotplug capability for dynamic topologies
- Cable redundancy

More information about the [EtherCAT Module](#)

Benefits

Real-Time System

Communication

› Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

### EtherCAT Module

Also available:

- **EtherCAT PC Slave Device Extension:** The PC itself becomes an EtherCAT slave. PC plug-in card, programmable as EtherCAT slave, e.g. ESD ECS-PCIe/FPGA.
- **EtherCAT Automation Protocol:** EtherCAT-like communication between PCs. Real-time data traffic with up to 100 Gbit/s via regular network cards.

[Benefits](#)[Real-Time System](#)[Communication](#)[› Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### CANopen Module

- CANopen master in real time
- Automatic CANopen topology detection
- CANopen slave state management
- Process data and service data communication (PDO+SDO, mailbox communication)
- Also usable with EtherCAT terminal EL6651 by Beckhoff

More information about [› CANopen Module](#)

Benefits

Real-Time System

Communication

Automation

› Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Machine Vision

- Real-time image capture with GigE Vision and USB3 Vision:
  - › Camera Module
- Real-time image processing with Halcon and OpenCV:
  - › Vision Module

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### Camera Module

- Image capture with USB3 Vision cameras (via XHCI controller)
- Image capture with GigE Vision cameras (up to 10 Gbit/s Ethernet)
- Configuration according to GenICam 2.0
- Event-based or request-based, error management, hotplug capability, multiple cameras simultaneously
- GigE Vision 2.0: time synchronization, link aggregation
  
- **Camera Acceleration Extension:** Support for GigE Vision frame grabber acceleration card PLC2 PGC-1000 (up to  $4 \times 10$  Gbit/s) for almost complete CPU-offload

More information about the [Machine Vision](#) **Camera Module**

Benefits

Real-Time System

Communication

Automation

› Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Vision Module

Consists of Library Module and the following extensions:

### Halcon Extension

- Image processing in real time with Halcon (proprietary: MVTec)
- Programming in C++ or with HDEV scripts
- Supports versions 10 to 13, 18.11 and 20.11
- Requires separate license by MVTec

### OpenCV Extension

- Real-time image processing with OpenCV in C++ (open source)
- Supports versions 3.0, 3.4, 4.1 and 4.2

Benefits

Real-Time System

Communication

Automation

Machine Vision

› Automotive

Data Storage

Hardware Access

Base Functions

## Automotive

- FlexRay: Windows PC as full-featured FlexRay node
  - › FlexRay Module
- CAN/CAN FD: real-time communication via CAN
  - › CAN Module
- LIN: Master or slave node via UART interface
  - › LIN Module
- BroadR-Reach: Automotive Ethernet
  - › BroadR-Reach

Benefits

Real-Time System

Communication

Automation

Machine Vision

› Automotive

Data Storage

Hardware Access

Base Functions

### FlexRay Module

- Real-time FlexRay communication
- Independently combinable FlexRay channels
- Windows PC as full-featured FlexRay node
- Use as leading or following start node
- Baud rate flexibly adjustable (2,5/5/10 Mbit/s)

More information about the › **FlexRay Module**



[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[› Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

## CAN Module

- CAN communication in real time with specialized drivers
- CAN 2.0A and 2.0B
- Data rate increase with **CAN FD Extension**
- Vendor-neutral API:  
Supports interfaces from various manufacturers:  
(Peak, Star Cooperation, Ixxat, EMS, ESD, Kvaser)
- All received CAN telegrams are assigned accurate time stamps
- Real-time reaction to received CAN telegrams
- Filter handler installable

More information about the [› CAN Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[› Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### LIN Module

- LIN data exchange in real time
- Easy implementation of master or slave nodes with a regular PC
- LIN transceiver required
- Bus collision detection
- Automatic checksum validation (LIN version 1.x and 2.x)
- Data rate of up to 20 Kbit/s
- Guaranteed latency times
- Reception of LIN messages can be done with callbacks or polling

More information about the [› LIN Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[› Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

### BroadR-Reach

- Physical Ethernet layer specifically for automotive networking
- High data rates for large amounts of data
- High scalability
- Cost-efficient in wiring and programming
- Usable as central backbone network
- BroadR-Reach as pure physical Ethernet layer is available as

### **Network BroadR-Reach Extension**

More information about [› BroadR-Reach](#)

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

› Data Storage

Hardware Access

Base Functions

## Data Storage

- Fast file access to SSDs
  - › **Storage Module**
- Simple structured measurement data storage
  - › **PCAPng Module**
- Complex structured measurement data storage
  - › **MDF Module**

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[› Data Storage](#)[Hardware Access](#)[Base Functions](#)

### Storage Module

Very fast access to SSDs with NVMe interface:

- Supports SSDs from various manufacturers
- Storage with UDF file system
- Access can be switched between real time and Windows

### Storage RAID Extension

- Further data rate increase to > 10 Gbyte/s
- Support for RAID 0
- Linking of 2, 4 or more SSDs

More information about the [› Storage Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[› Data Storage](#)[Hardware Access](#)[Base Functions](#)

### PCAPng Module

Simple structured storage of measurement data from real-time context in PCAPng format:

- Viewable in Wireshark
- Storage in UDF file system
- Accessible from either real time or Windows

More information about the [› PCAPng Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[› Data Storage](#)[Hardware Access](#)[Base Functions](#)

## MDF Module

Complex structured storage of measurement data from real-time context in MDF

- Support for MDF 4.1, downward compatible with earlier versions
- Writing of virtually arbitrarily large files ( $2^{64}$  bytes)
- Storage of raw messages from CAN, LIN, FlexRay and automotive Ethernet

More information about the [› MDF Module](#)

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

› Hardware Access

Base Functions

## Hardware Access

- Access to I/O ports:
  - › **IoPort Module**
- Access to physical memory:
  - › **Memory Module**
- Interrupt handling:
  - › **Interrupt Module**
- Digital and analog I/O of multifunction cards:
  - › **MultiFunction Module**



Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

› Hardware Access

Base Functions

## Driver Programming

Driver development requires:

- I/O access
- Access to physical memory
- Handling of interrupt requests (IRQ)

With this, basically any PC hardware can be addressed.

Additional functions of the › **Base/Kernel Module:**

- Listing of devices by specific type
- Determination of device and driver information
- Switching drivers

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

› Hardware Access

Base Functions

### IoPort Module

- Access to any I/O registers of a PC system
- I/O access from application context is also possible, either directly (after unlocking address; system-dependent) or indirectly (by switching to Kernel mode)
- Determination of PCI configuration data (current base addresses and IRQ numbers) based on plug&play mechanisms
- Determination of resource information

More information about the › **IoPort Module**

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

› Hardware Access

Base Functions

### Memory Module

- Access to external physical memory (dual port RAM)
- Allocation of PC memory for external hardware (DMA)
- Copying of memory areas between application and real-time context

More information about the › **Memory Module**

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[› Hardware Access](#)[Base Functions](#)

## Interrupt Module

Handling of hardware interrupts:

- Desktop: PCI and PCIe cards, ISA bus, PC104, PC104+ etc.
- Laptop: CardBus (PCMCIA), ExpressCard/34 or /54

Two operation modes:

- Either usage of operating system mechanisms for interrupt handling (no real time = regular driver)
- Or real-time interrupts (PCIe hardware required)

More information about the [› Interrupt Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[› Hardware Access](#)[Base Functions](#)

### MultiFunction Module

- Support for multifunction cards (PCIe bus) with vendor-neutral API
- Digital I/O, bitwise or wordwise
- Analog I/O as single value, channel sequence, limited series of sequences or continuous mode with switch buffer interrupt
- Real-time drivers for cards from various manufacturers, e.g. National Instruments (NI) X-Series

More information about the [› MultiFunction Module](#)

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

› Base Functions

## Base Functions

- General functions and resources:
  - › **Base/Kernel Module**
- Interception of system events:
  - › **System Module**
- Windows device interfaces:
  - › **Device Module**
- Standard function library in real time:
  - › **Library Module**

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[› Base Functions](#)

### Base/Kernel Module

- Opening of real-time driver
- Error handling
- Fetching system information
- Debugging assistance
- Determining hardware devices, switching drivers
- Callback functions
- Event objects, mutex objects, semaphores
- Shared memory
- Pipes (data pipes, message pipes)
- Function execution
- Real-time memory management

More information about the [› Base/Kernel Module](#)

Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

› Base Functions

### System Module

- Interception of system events such as protection faults, system crashes at kernel level or blue screen handler (failsafe handler)
- Hardware safety shutdown

More information about the › **System Module**



Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

› Base Functions

### Device Module

- Provides a Windows programming interface for device communication: CreateFile, ReadFile, WriteFile, DeviceIoControl, CloseHandle
- Freely selectable device names, e. g. for virtual COM ports

More information about the › **Device Module**

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[› Base Functions](#)

## Library Module

Real-time function library with

- Mathematical/trigonometrical functions
- String/memory functions
- Access to XML files
  
- **Halcon Extension:** Image processing library by MVTec
- **OpenCV Extension:** Open source image processing library
- **DLib Extension:** Machine learning

More information about the [› Library Module](#)

[Benefits](#)[Real-Time System](#)[Communication](#)[Automation](#)[Machine Vision](#)[Automotive](#)[Data Storage](#)[Hardware Access](#)[Base Functions](#)

## Kithara RealTime Suite: What to do next?

Request the free test version with complete functional range for a testing period of 90 full days!  
Contact us to talk about your project, we will gladly advise you.

› Test it now!



Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## These are some of our customers



## These are some of our partners



Benefits

Real-Time System

Communication

Automation

Machine Vision

Automotive

Data Storage

Hardware Access

Base Functions

## Contact us

Kithara Software GmbH

Alte Jakobstraße 78

10179 Berlin

Phone: +49 30 2789673-0

Fax: +49 30 2789673-20

› [info@kithara.com](mailto:info@kithara.com)

› [kithara.com](https://www.kithara.com)